	Application No.	Applicant(s)
Notice of Allowability		
	09/838,320 Examiner	EVERDELL ET AL. Art Unit
	Ladilille	Art Sint
	Kenneth R. Coulter	2141
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in thi or other appropriate communic GHTS. This application is subj	is application. If not included action will be mailed in due course. THIS
1. This communication is responsive to <u>Amendment on 10/27</u>	<u>7/06</u> .	•
2. \boxtimes The allowed claim(s) is/are $\underline{1-14,16-20,23-28,30}$ and $\underline{32-35}$.	
3. ☐ Acknowledgment is made of a claim for foreign priority ura) ☐ All b) ☐ Some* c) ☐ None of the:	nder 35 U.S.C. § 119(a)-(d) or (i	f).
 Certified copies of the priority documents have 	been received.	
Certified copies of the priority documents have	• •	
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		eply complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
5. X CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) 🗵 including changes required by the attached Examiner's	s Amendment / Comment or in	the Office action of
Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		·
Attachment(s)	5 Matica of latera	and Dataset Analisation
1. Notice of References Cited (PTO-892)		nal Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Sumr Paper No./Ma	
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mai 7. ⊠ Examiner's Am	endment/Comment
Paper No./Mail Date 4.	8. 🛛 Examiner's Sta	tement of Reasons for Allowance
o. Diological Material	9.	
		•

Page 2

Application/Control Number: 09/838,320

Art Unit: 2141

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

The prior art of record does not specifically disclose or remotely suggest

With regard to independent claims 1, 13, 17, 19, 23, 28, 30, and 35:

wherein the separate control path resources prioritize internal and external control information such that the external control information is given a higher priority.

In addition, Examiner points to the arguments of Applicant's representative (arguments on 3/1/06; pp. 10 - 14).

2. These limitations, in conjunction with the other limitations in the independent claims, are not specifically disclosed or remotely suggested in the prior art of record.

A review of claims 1-14, 16-20, 23-28, 30, and 32-35, in view of the Examiner's arguments above, indicates that claims 1-14, 16-20, 23-28, 30, and 32-35 are allowable over the prior art of record.

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 09/838,320 Page 3

Art Unit: 2141

Drawings

4. The drawings are objected to because Figures 3A, 3B, 3C, 26, 29, and 31C (submitted as replacement drawings on 10/27/06) have been "cut off" at the bottom during the scanning process. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

5. Numerous amendments attempted on 7/2/01 have not been entered.

The interlineations or cancellations made in the specification could lead to confusion and mistakes during the issue and printing processes. Accordingly, the portion of the specification or claims as identified below is required to be rewritten before passing the case to issue. See 37 CFR 1.125 and MPEP § 608.01(q). Examiner requests that a marked-up copy of the entire specification (including amendments not entered on 7/2/01) be submitted in order to assure that no mistakes are made when printing the extremely lengthy specification that is replete with amendments.

A substitute specification excluding the claims is required pursuant to 37 CFR 1.125(a) because multiple amendments have been attempted (some not entered) in the extremely lengthy specification.

A substitute specification must not contain new matter. The substitute specification must be submitted with markings showing all the changes relative to the immediate prior version of the specification of record. The text of any added subject matter must be shown by underlining the added text. The text of any deleted matter must be shown by strike-through except that double brackets placed before and after the deleted characters may be used to show deletion of five or fewer consecutive characters. The text of any deleted subject matter must be shown by being placed

within double brackets if strike-through cannot be easily perceived. An accompanying clean version (without markings) and a statement that the substitute specification contains no new matter must also be supplied. Numbering the paragraphs of the specification of record is not considered a change that must be shown.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kenneth R. Coulter whose telephone number is 571 272-3879. The examiner can normally be reached on M - F; 7 am - 3:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rupal Dharia can be reached on 571 272-3880. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 09/838,320

Art Unit: 2141

krc

Kennet Culle

Page 6